



**Make It Yours.**










## **OUR CASES, YOUR BUILD**







### **ULTIMATE PLATFORM FOR EXTREME PERFORMANCE**

The cases are designed with performance, expandability, and elegant style in mind for the discerning system builder that expects no less than the best.








Series	Name	Dimensions (mm) LxWxH	Motherboard Support	Drive Bays Support	I/O Port	Max. Radiator Support	Pre-installed Fan	Fan Support	Max. Cooler Height	Max. VGA Card Length	Expansion Slots
<b>PROFESSIONAL / MODDING</b>	 <b>COSMOS 25th ANNIVERSARY*</b>	664 x 344 x 704	XL-ATX, E-ATX, ATX, Micro-ATX, SSI CEB, SSI EEB	5.25" x3 2.5"/3.5" x13 2.5" SSD x11	USB 3.0 x2, USB 2.0 x4, Audio In / Out	Top: 240/280mm (max 320mm)	Top: 120mm x1 Front: 200mm LED x1 Rear: 140mm x1	Top: 120mm x3/140mm x2/200mm x1 Front: 120mm/140mm/200mm x1 Rear: 120mm/140mm x1 HDD: 120mm x3	190mm	190 - 385mm	10 + 1
	 <b>MASTERCASE C700P*</b>	639 x 306 x 651	E-ATX, ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5"/3.5" x8 or 9 2.5" SSD x2	USB 3.1 Gen 2 Type C x1, USB 3.0 x4, Fan Speed & RGB control buttons, Audio In / Out (supports HD Audio)	Front: 120/140/240/280/360/420mm (requires removal of ODD cage) Rear: 120/140mm Top: 120/140/ 240/280/360mm (requires removal of ODD cage) Bottom: 120/140/240mm	Front: 140mm x2 Rear: 140mm x1	Top: 120mm/140mm x3 Front: 120mm/140mm x3 Rear: 120mm/140mm x1 Bottom: 120mm/140mm x2	198mm	490mm (w/o HDD cage) 320mm (with HDD cage)	8
	<b>MASTERCASE MC500*</b>	512 x 235 x 548	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5"/3.5" x8 or 10 2.5" SSD x4	USB 3.0 x2, USB 2.0 x2, Audio in/out (supports HD audio)	Front: 120/140/240/280/360mm Rear: 120/140mm Top: 120/240mm	Front: 140mm x1 Rear: 140mm x1	Top: 120mm x2 Front: 120/140mm x3 Rear: 120/140mm x1	190mm	412mm (w/o HDD cage) 296mm (with HDD cage)	7
	<b>MASTERCASE MC500P*</b>	512 x 235 x 548	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5"/3.5" x8 or 10 2.5" SSD x4	USB 3.0 x2, USB 2.0 x2, Audio in/out (supports HD audio)	Front: 120/140/240/280/360mm Rear: 120/140mm Top: 120/140/240/280mm	Front: 140mm x1 Rear: 140mm x1	Top: 120mm x2 Front: 120/140mm x3 Rear: 120/140mm x1	190mm	412mm (w/o HDD cage) 296mm (with HDD cage)	7
	 <b>MASTERCASE MC500M*</b>	528.6 x 235 x 548	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5"/3.5" x8 or 10 2.5" SSD x1	USB 3.0 (type A) x3, USB 3.1 (type C) x1, Fan Speed & RGB control buttons Audio In / Out (support HD audio)	Front: 120/140/240/280/360mm Rear: 120/140mm Top: 120/140/240/280mm	Front: 140mm x2 Rear: 140mm x1	Top: 120mm x2 Front: 120/140mm x3 Rear: 120/140mm x1	190mm	412mm (w/o HDD cage) 296mm (with HDD cage)	7
	<b>MASTERCASE MC500MT*</b>	544 x 242 x 574	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5"/3.5" x8 or 10 2.5" SSD x1	USB 3.0 (type A) x3, USB 3.1 (type C) x1, Fan Speed & RGB control buttons Audio In / Out (support HD audio)	Front: 120/140/240/280/360mm Rear: 120/140mm Top: 120/140/240/280mm	Front: 140mm x2 Rear: 140mm x1	Top: 120mm x2 Front: 120/140mm x3 Rear: 120/140mm x1	190mm	412mm (w/o HDD cage) 296mm (with HDD cage)	7
	<b>MASTERBOX Q300L</b>	387 x 230 x 378	Micro-ATX, Mini-ITX	3.5" x1 2.5" SSD x2	USB 3.0 x2, Audio In / Out	Front: 120mm x1/240mm x1 Rear: 120mm x1	Rear: 120mm x1	Top: 120mm x2 Front: 120/140mm x2 Rear: 120mm x1 Bottom: 120mm x1	157mm	360mm	4
	 <b>MASTERBOX Q300P</b>	450 x 230 x 450	Micro-ATX, Mini-ITX	3.5" x1 2.5" SSD x2	USB 3.0 x2, Audio In / Out	Front: 120mm x1/240mm x1 Rear: 120mm x1	Front: 120mm RGB LED x2 Rear: 120mm x1	Top: 120mm x2 Front: 120/140mm x2 Rear: 120mm x1 Bottom: 120mm x1	157mm	360mm	4
	<b>ELITE 110A</b>	260 x 208 x 280	Mini-ITX	3.5" x3, or 3.5" x2 + SSD x2 or 3.5" x1 + SSD x3 or SSD x4	USB 3.0 x2, Audio In / Out	-	Front: 120mm x1	Front: 120/140mm x1 Rear: 80mm x2	76mm	210mm	2
 <b>ELITE 120 ADVANCED</b>	240 x 207.4 x 401.4	Mini-ITX	5.25" x1 3.5" x3 2.5" SSD x4	USB 3.0 x1 (internal), USB 2.0 x2, Mic x1, Audio x1 (supports AC97 / HD Audio)	-	Front: 120mm x1 Rear: 80mm x1	Front: 120mm x1 Rear: 80mm x1 HDD: 120mm x1	65mm	343mm	2	
<b>ELITE 130</b>	240 x 207.4 x 398.5	Mini-ITX	5.25" x1 3.5" x3 2.5" SSD x5	USB 3.0 x2, USB 2.0 x1, Audio In & Out	-	Front: 120mm x1 Rear: 80mm x1	Front: 120mm x1 Rear: 80mm x1	65mm	343mm	2	
<b>HOME</b>	 <b>SILENCIO 452</b>	497 x 190 x 449	ATX, Micro-ATX	5.25" x2 3.5" x6 2.5" SSD x2	USB 3.0 x2, USB 2.0 x1, SD card reader (Class 10) x1, Audio x1, Mic x1	Front: 240mm Rear: 120mm	Front: 120mm x1 Rear: 120mm x1	Front: 120/140mm x2 Rear: 80/90/120mm x1	158mm	386mm (w/o HDD cage) 282mm (with HDD cage)	7
	 <b>MASTERCASE MC600P*</b>	544 x 235 x 548	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x2 2.5/3.5" x8 or 10 2.5" SSD x4	USB 3.0 x2, USB 2.0 x2, Audio In / Out (supports HD Audio)	Top: 120/140/240/280mm Front: 120/140/240/280/360mm Rear: 120/140mm	Front: 140mm x1 Rear: 140mm x1	Top: 120/140mm x2 Front: 120/140mm x3 Rear: 120/140mm x1	190mm	412mm (w/o HDD cage) 296mm (with HDD cage)	7
	<b>SILENCIO 352</b>	453 x 200 x 378	Micro-ATX, Mini-ITX	5.25" x1 3.5" x3 2.5" SSD x4	USB 3.0 x2, USB 2.0 x1, Audio In / Out, SD card reader x1	-	Front: 120mm x1 Rear: 120mm x1	Top: 120mm x1 Front: 120mm x2 Rear: 120mm x1	155mm	355mm	4

\* Tempered Glass Side Panel

Series	Name	Dimensions (mm) LxWxH	Motherboard Support	Drive Bays Support	I/O Port	Max. Radiator Support	Pre-installed Fan	Fan Support	Max. Cooler Height	Max. VGA Card Length	Expansion Slots
<b>GAMING</b>	TROOPER SE* STRYKER SE*	578.5 x 250 x 605.6	XL-ATX, E-ATX, ATX, Micro-ATX, Mini-ITX	5.25" x1 3.5" x2 2.5" SSD x4+1	USB 3.0 x2, USB 2.0 x2, Fan Speed & LED on/off buttons Audio in/out (support HD audio)	Front: 120/140/240/280/360mm Rear: 120/140mm Top: 120/140/240mm Bottom: 120/140/ 240mm	Front: 120mm Red LED x2 Rear: 140mm x1	Top: 200mm x1 or 120/140mm x2 Front: 120/140mm x3 Rear: 120/140mm x1 Bottom: 120mm x2	186mm	322mm	9 + 2
	MASTERCASE H500P*	544 x 242 x 542	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	2.5"/3.5" x2 2.5" SSD x2	USB 3.0 x2, USB 2.0 x2, Audio in/out (support HD Audio)	Top: 120/140/240/280/360mm radiator, up to 50mm thickness without fan Front: 120/140/240/280/360mm Rear: 120/140mm	Front: 200mm <b>RGB LED</b> x2 Rear: 140mm x1	Top: 120/140mm x3 or 200mm x2 Front: 120/140mm x3/200mm x2 Rear: 120/140mm x1	190mm	412mm	7 + 2**
	 MASTERCASE H500P WHITE MESH*	544 x 242 x 542	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	2.5"/3.5" x2 2.5" SSD x2	USB 3.0 x2, USB 2.0 x2, Audio in/out (support HD Audio)	Top: 120/140/240/280/360mm radiator, up to 50mm thickness without fan Front: 120/140/240/280/360mm Rear: 120/140mm	Front: 200mm <b>RGB LED</b> x2 Rear: 140mm x1	Top: 120/140mm x3 or 200mm x2 Front: 120/140mm x3/200mm x2 Rear: 120/140mm x1	190mm	412mm	7 + 2**
	MASTERBOX PRO 5*	500 x 223 x 475	E-ATX, ATX, Micro-ATX, Mini-ITX	3.5" x2 2.5" SSD x2	USB 3.0 x2, Audio in/out	Front: 240/280/360mm Rear: 120mm	Rear: 120mm x1	Front: 120mm x3/140mm x2 Rear: 120mm x1	167mm	410mm	7
	 MASTERBOX PRO 5 <b>RGB</b> *	500 x 223 x 475	E-ATX, ATX, Micro-ATX, Mini-ITX	3.5" x2 2.5" SSD x2	USB 3.0 x2, Audio in/out	Front: 240/280/360mm Rear: 120mm	Front: 120mm <b>RGB LED</b> x3 Rear: 120mm x1	Front: 120mm x3/140mm x2 Rear: 120mm x1	167mm	410mm	7
	MASTERBOX 5T	541.2 x 220 x 513.5	ATX, Micro-ATX, Mini-ITX	2.5"/3.5" x2 2.5" SSD x1	USB 3.0 x2, Audio in/out Fan Speed Control H/L	Front: 120/240/280/360mm radiator, up to 50mm thickness without fan Rear: 120mm	Front: 120mm x1 Rear: 120mm x1	Top: 120mm x1 / 140mm x1 Front: 120mm x3 / 140mm x2 Rear: 120mm x1	167mm	410mm	7
	 MASTERBOX MB 500*	494 x 211 x 475	ATX, Micro-ATX, Mini-ITX	3.5" x2 2.5" SSD x4 (Max.)	USB 3.0 x2, Audio in/out	Front: 240/280/360mm radiator, up to 50mm thickness without fan Rear: 120mm	Front: 120mm <b>RGB LED</b> x2 Rear: 120mm <b>RGB LED</b> x1	Top: 120mm x2 Front: 120mm x3 / 140mm x2 Rear: 120mm x1	160mm	400mm	7
	MASTERBOX MB 501L	499.6 x 205 x 468	ATX, Micro-ATX, Mini-ITX	3.5" x3 (Max.) 2.5" x3 (Max.)	USB 3.0 x2, Audio in/out	Front: 120/140/240/280/360mm Rear: 120mm	Rear: 120mm x1	Front: 120mm x3/140mm x2 Rear: 120mm x1	165.5mm	414mm	7
	MASTERBOX K500L	491 x 211 x 455	ATX, Micro-ATX, Mini-ITX	3.5" x2 (Max.) 2.5" x6 (Max.)	USB 3.0 x2, Audio in/out	Front: 120/140/240/280mm Rear: 120mm	Front: 120mm <b>RGB LED</b> x2 Rear: 120mm x1	Top: 120mm x2 Front: 120mm x3 / 140mm x2 Rear: 120mm x1	160mm	400mm	7
	 MASTERBOX LITE 5 <b>RGB</b> *	468.8 x 200 x 454.5	ATX, Micro-ATX, Mini-ITX	2.5"/3.5" x2 2.5" SSD x1	USB 3.0 x2, Audio in/out	Front: 120/140/240/280/360mm radiator, up to 50mm thickness without fan Rear: 120mm	Front: 120mm <b>RGB LED</b> x3 Rear: 120mm x1	Front: 120mm x3/140mm x2 Rear: 120mm x1	160mm	400mm	7
MASTERBOX LITE 3	406 x 180 x 379	Micro-ATX, Mini-ITX	5.25" x1 3.5" x1 2.5" SSD x1	USB 3.0 x2	Front: Up to 240mm	Rear: 120mm x1	Front: 120mm x2 Rear: 120mm x1	157mm	345mm	4	
MASTERBOX LITE 3.1 TG*	456 x 208 x 381	Micro-ATX, Mini-ITX	3.5" x2 2.5" SSD x1	USB 3.0 x1, USB 2.0 x1, Audio in/out	Front: 240mm Rear: 120mm	Rear: 120mm x1	Front: 120mm x2 Rear: 120mm x1	158mm	380mm	4	
<b>OFFICE / DESIGNER</b>	MASTERBOX E500L (Steel side panel) ----- (PS window side panel)	490 x 215 x 426 ----- 490 x 210 x 426	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	5.25" x1 3.5" x2 2.5" SSD x2	USB 3.0 x2, Audio in/out	Front: 120/140/240/280mm Rear: 120mm	Rear: 120mm x1 ----- Front: 120mm x1 LED Fan Rear: 120mm x1	Top: 120mm x2 Front: 120/140mm x2 Rear: 120mm x1	172mm ----- 157mm	399mm	7
	MASTERBOX TD500L	493 x 217 x 468	E-ATX (up to 12" x 10.7"), ATX, Micro-ATX, Mini-ITX	3.5" x2 2.5" SSD x2 (Max. 6)	USB 3.0 x2, Audio in/out	Top: 120/140/240mm Front: 120/140/240/280/360mm Rear: 120mm	Rear: 120mm x1	Top: 140mm x2 Front: 120mm x3/140mm x2 Rear: 120mm x1	160mm	407mm	7
	 MASTERBOX MB600L*	464 x 212 x 454.5	ATX, Micro-ATX, Mini-ITX	5.25" x1 2.5"/3.5" x2 2.5" SSD x1	USB 3.0 x2, Audio in/out	Front: 120/140/240/280mm radiator (without ODD)120/140/240/280/360mm up to 50mm thickness without fan Rear: 120mm	Rear: 120mm x1	Front: 120/140mm x2 (without ODD) Rear: 120/140mm x2 (without ODD)	160mm	400mm	7
	N300	491.5 x 190 x 426	ATX, Micro-ATX	5.25" x2 3.5" x1 2.5" SSD x1	USB 3.0 x1, USB 2.0 x1, Audio in/out	-	Front: 120mm x1 Rear: 120mm x1	Top: 120mm x2 Front: 120mm x2/140 mm x1 Rear: 120/140mm x2 Left: 120/140mm x2 / Right: 120mm x2	160mm	320mm	7
	 N200	445 x 202 x 378	Micro-ATX, Mini-ITX	5.25" x1 3.5" x3 2.5" SSD x4	USB 3.0 x1, USB 2.0 x1, Audio in/out	-	Front: 120mm x1 Rear: 120mm x1	Top: 120mm x1 Front: 120mm x2 Rear: 120mm x1 Side: 120mm x1	160mm (w/o 120mm fan) 140mm (w/ 120mm fan)	355mm	4

\* Tempered Glass Side Panel \*\* Support vertical graphics card installation



Name		Wattage	80 PLUS	Modular	Digital	Semi-Fanless	Fan Type	Dimension (mm)	Warrenty
<b>MASTERWATT MAKER</b>		1200	Titanium	Full	V	-	135mm Silencio FP	200 x 150 x 86	7 Years
		1500	Titanium	Full	V	-	135mm Silencio FP	200 x 150 x 86	7 Years
<b>MASTERWATT SERIES</b>		450	Bronze	Semi	-	15% load	120mm LDB	150 x 140 x 86	5 Years
		550	Bronze	Semi	-	15% load	120mm LDB	150 x 140 x 86	5 Years
		650	Bronze	Semi	-	15% load	120mm LDB	150 x 140 x 86	5 Years
		750	Bronze	Semi	-	15% load	120mm LDB	150 x 140 x 86	5 Years
<b>MASTERWATT LITE 230V</b>		400	White, 230V EU	Fixed	-	-	120mm Silent HDB	150 x 140 x 86	3 Years
		500	White, 230V EU	Fixed	-	-	120mm Silent HDB	150 x 140 x 86	3 Years
		600	White, 230V EU	Fixed	-	-	120mm Silent HDB	150 x 140 x 86	3 Years
		700	White, 230V EU	Fixed	-	-	120mm Silent HDB	150 x 140 x 86	3 Years
<b>MWE GOLD SERIES (FULL)</b>		550	Gold	Full	-	-	120mm Silent LDB	160 x 150 x 86	5 Years
		650	Gold	Full	-	-	120mm Silent LDB	160 x 150 x 86	5 Years
		750	Gold	Full	-	-	120mm Silent LDB	160 x 150 x 86	5 Years
<b>MWE GOLD SERIES (FIXED)</b>		550	Gold	Fixed	-	-	120mm Silent LDB	140 x 150 x 86	5 Years
		650	Gold	Fixed	-	-	120mm Silent LDB	140 x 150 x 86	5 Years
		750	Gold	Fixed	-	-	120mm Silent LDB	140 x 150 x 86	5 Years
<b>MWE BRONZE SERIES</b>		450	Bronze	Fixed	-	-	120mm LDB	150 x 140 x 86	3 Years
		500	Bronze	Fixed	-	-	120mm LDB	150 x 140 x 86	3 Years
		550	Bronze	Fixed	-	-	120mm LDB	150 x 140 x 86	3 Years
		600	Bronze	Fixed	-	-	120mm LDB	150 x 140 x 86	3 Years
		650	Bronze	Fixed	-	-	120mm LDB	150 x 140 x 86	3 Years
<b>MWE SERIES</b>		400	White, 230V EU	Fixed	-	-	120mm HDB	150 x 140 x 86	3 Years
		450	White, 230V EU	Fixed	-	-	120mm HDB	150 x 140 x 86	3 Years
		500	White, 230V EU	Fixed	-	-	120mm HDB	150 x 140 x 86	3 Years
		550	White, 230V EU	Fixed	-	-	120mm HDB	150 x 140 x 86	3 Years
<b>V SERIES</b>		550	Gold	Full	-	-	120mm Silencio FP	150 x 140 x 86	5 Years
		650	Gold	Full	-	-	120mm Silencio FP	150 x 140 x 86	5 Years
		750	Gold	Full	-	-	120mm Silencio FP	150 x 140 x 86	5 Years
		850	Gold	Full	-	-	135mm Silent FDB	170 x 150 x 86	5 Years
		1000	Gold	Full	-	-	135mm Silent FDB	170 x 150 x 86	5 Years
		1200	Platinum	Full	-	-	135mm Silent FDB	170 x 150 x 86	7 Years
<b>ELITE V3</b>		300	-	Fixed	-	-	120mm Sleeve	150 x 140 x 86	3 Years
		400	-	Fixed	-	-	120mm Sleeve	150 x 140 x 86	3 Years
		500	-	Fixed	-	-	120mm Sleeve	150 x 140 x 86	3 Years
		600	-	Fixed	-	-	120mm Sleeve	150 x 140 x 86	3 Years



**Make It Yours.**






# REDEFINING COOLING, AGAIN

**MORE AIR MORE CONTROL**


The new MasterAir MA series is our new line of air coolers with excellent cooling performance while providing a full ARGB/RGB lighting experience to any PC.



Series	Name	Intel Socket	AMD Socket	Dimension (mm)	Heat Sink Material	Fan LED	Fan Dimension (mm)	Fan Speed (± 10%)	Fan Noise	Warrenty	Accessory
<b>MASTERAIR SERIES</b> 	<b>MA410M</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150	AMD® AM4 / AM3+ / AM3 / AM2+ / FM2+ / FM2 / FM1	165.1 x 130.9 x 111.8	4 Heat Pipes Direct Contact Aluminum Fins	Addressable RGB	2 x 120 x 120 x 25	650 - 2,000 RPM (PWM)	6 ~31 dBA	5 Years	Wired A-RGB Controller
	<b>MASTERAIR MAKER 8</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / FM2+ / FM2 / FM1	135 x 145 x 172	8 Heat Pipes 3D Vapor Chamber Base Aluminum Fins	Red	Ø 140 x 25	600 - 1,800 RPM (PWM)	8 - 24 dBA	5 Years	-
	<b>MA621P</b>	-	AMD® TR4	121.8 X 136.1 X 164.5	6 Heatpipes CDC 2.0 Aluminum Fins	RGB	120 x 120 x 25	600 - 1,800 RPM (PWM)	31 dBA (Max)	2 Years	Wired RGB Controller
	<b>MA620P</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / FM2+ / FM2 / FM1	121.8 X 136.1 X 164.5	6 Heatpipes CDC 2.0 Aluminum Fins	RGB	120 x 120 x 25	600 - 1,800 RPM (PWM)	31 dBA (Max)	2 Years	Wired RGB Controller
	<b>MA610P</b>			122.3 x 112.8 x 166.5	6 Heatpipes CDC 2.0 Aluminum Fins	RGB	120 x 120 x 25	600 - 1,800 RPM (PWM)	35 dBA (Max)	2 Years	Wired RGB Controller
	<b>MA410P</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1151 / 1150 / 1155 / 1156 / 1366	AMD® AM4 / AM3+ / AM3 / AM2+ / FM2+ / FM2 / FM1	84 x 129 x 158.5	4 Heat Pipes CDC 2.0 Aluminum Fins	RGB	120 x 120 x 25	650 - 2,000 RPM (PWM)	6 - 30 dBA	2 Years	Wired RGB Controller
	<b>G100M</b>			145 x 145 x 74.5	Heat Column Aluminum Fins	RGB	100 x 100 x 25	600 - 2,400 RPM (PWM)	30 dBA (Max)	5 Years	Wired RGB Controller
<b>HYPER SERIES</b> 	<b>H412R</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	102 x 83.4 x 136	4 Heat Pipes Direct Contact Aluminum Fins	-	92 x 92 x 25	600 - 2,000 RPM (PWM)	29.4 dBA	2 Years	-
	<b>H411R</b>			102 x 83.4 x 136	4 Heat Pipes Direct Contact Aluminum Fins	White	92 x 92 x 25	600 - 2,000 RPM (PWM)	29.4 dBA	2 Years	-
	<b>H410R</b>	Intel® LGA 1151 / 1150 / 1155 / 1156 / 1366 / 775		102 x 83.4 x 136	4 Heat Pipes Direct Contact Aluminum Fins	Red	92 x 92 x 25	600 - 2,000 RPM (PWM)	29.4 dBA	2 Years	-
	<b>HYPER 212 LED</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / FM2+ / FM2 / FM1	120 x 84 x 160	4 Heat Pipes Aluminum Fins Copper Heatpipes	Red	120 x 120 x 25	600 - 1,600 RPM (PWM)	9 - 31 dBA	2 Years	-
	<b>HYPER 212 LED TURBO</b>			120 x 108 x 163	4 Heat Pipes Direct Contact Aluminum Fins	Red	120 x 120 x 25	600 - 1,600 RPM (PWM)	9 - 31 dBA	2 Years	-
<b>V SERIES</b> 	<b>V8 GTS</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / 775	AMD FM2+ / FM2 / FM1 / AM3+ / AM3 / AM2	154 x 149.8 x 166.5	8 Heat Pipes Vapor Chamber Aluminum Fins	Red	Ø 140 x 20	600 - 1,600 RPM (PWM)	16 - 36 dBA	2 Years	-



**Make It Yours.**









# REDEFINING COOLING, AGAIN

**THE MOST COLORFUL WAY TO COOL**

Our new MasterLiquid ML series comes with dual chamber design and Addressable RGB/RGB lighting for both performance and full color customization.





Series	Name	Intel Socket	AMD Socket	Radiator Dimension (mm)	Fan Dimension (mm)	Fan q'ty	Pump LED	Fan LED	Fan Noise	Pump Noise	Accessory	Tubing	Warrenty
	<b>MASTERLIQUID MAKER 240</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1151 / 1150 / 1155 / 1156	AMD® AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	280 x 124 x 29.2	120 x 120 x 25	2	-	RGB	6-30 dBA	-	Wired RGB controller 1-to-3 RGB Splitter	PUR	5 Years
	<b>MASTERLIQUID ML120 SMART RGB</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1151 / 1150 / 1156 / 1155 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	157 x 119.6 x 27	120 x 120 x 25	2	Addressable RGB	Addressable RGB	6-30 dBA	< 15 dBA	Exclusive wired ARGB controller 1-to-3 ARGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML240 SMART RGB</b>			277 x 119.6 x 27	120 x 120 x 25	2	Addressable RGB	Addressable RGB	6-30 dBA	< 15 dBA	Exclusive wired ARGB controller 1-to-3 ARGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML120R RGB</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1151 / 1150 / 1156 / 1155 / 775	AMD® AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	157 x 119.6 x 27	120 x 120 x 25	2	Addressable RGB	Addressable RGB	6-30 dBA	< 15 dBA	Exclusive wired ARGB controller 1-to-3 ARGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML240R RGB</b>			277 x 119.6 x 27	120 x 120 x 25	2	Addressable RGB	Addressable RGB	6-30 dBA	< 15 dBA	Exclusive wired ARGB controller 1-to-3 ARGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML240 RGB TR4</b>	-	AMD® TR4	277 x 119.6 x 27	120 x 120 x 25	2	RGB	RGB	6-30 dBA	< 15 dBA	Wired RGB controller 1-to-3 RGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML280 RGB TR4</b>	-	AMD® TR4	318 x 137 x 27.2	140 x 140 x 25	2	RGB	RGB	6-30 dBA	< 15 dBA	Wired RGB controller 1-to-3 RGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML360 RGB TR4</b>	-	AMD® TR4	394 x 119 x 27.2	120 x 120 x 25	3	RGB	RGB	6-30 dBA	< 15 dBA	Wired RGB controller 1-to-3 RGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID 120</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1151 / 1150 / 1156 / 1155 / 775	AMD® TR4* / AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	157 x 119.6 x 27	120 x 120 x 25	2	White	-	6-30 dBA	< 15 dBA	-	FEP + Sleeve	2 Years
	<b>MASTERLIQUID 240</b>			277 x 119.6 x 27	120 x 120 x 25	2	White	-	6-30 dBA	< 15 dBA	-	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML120L RGB</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1151 / 1150 / 1156 / 1155 / 775	AMD® TR4* / AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	157 x 119.6 x 27	120 x 120 x 25	1	RGB	RGB	6-30 dBA	< 15 dBA	Wired RGB controller 1-to-3 RGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID ML240L RGB</b>			277 x 119.6 x 27	120 x 120 x 25	2	RGB	RGB	6-30 dBA	< 15 dBA	Wired RGB controller 1-to-3 RGB Splitter	FEP + Sleeve	2 Years
	<b>MASTERLIQUID LITE 120</b>	Intel® LGA 2066 / 2011-v3 / 2011 / 1366 / 1151 / 1150 / 1156 / 1155 / 775	AMD® TR4* / AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	157 x 119.6 x 27	120 x 120 x 25	1	White	-	6-30 dBA	< 8 dBA	-	FEP	2 Years
	<b>MASTERLIQUID LITE 240</b>			157 x 119.6 x 27	120 x 120 x 25	2	White	-	6-30 dBA	< 15 dBA	-	FEP	2 Years

\* AMD TR4 upgrade kit needed